Author Index

Albertini, G., see Colotto, A. (1107) 165
Alvarado, F., see Vasseur, M. (1107) 150
Amaral, L.Q., see Colotto, A. (1107) 165
Amoroso, S., see Canzoniero, L.M.T. (1107) 175
Annunziato, L., see Canzoniero, L.M.T. (1107) 175

Baatz, J.E., see Horowitz, A.D. (1107) 44
Barisas, B.G., see Boullier, J.A. (1107) 193
Ben-Hur, E., see Penning, L.C. (1107) 255
Bluzat, A., see Lévy, D. (1107) 283
Boens, N., see Vermeir, M. (1107) 93
Boni, L.T., see Perkins, W.R. (1107) 271
Borst-Pauwels, G.W.F.H., Van de Mortel, J.B.J. and Theuvenet, A.P.R.
The concentration dependence of the depolarization of yeast by monovalent cations (1107) 207
Boullier, J.A., Peacock, J.S., Roess, D.A. and Barisas, B.G.
Protein and lipid lateral diffusion in normal and Rous sarcoma virus transformed chick embryo fibroblasts (1107) 193
Boxer, D.H., see Pommier, J. (1107) 305
Bridal, T.R. and Busath, D.
Inhibition of gramicidin channel activity by local anesthetics (1107) 31
Busath, D., see Bridal, T.R. (1107) 31

Canzoniero, L.M.T., Rossi, A., Taglialatela, M., Amoroso, S., Annunziato, L. and Di Renzo, G.
The Na^+–Ca^{2+} exchanger activity in cerebrocortical nerve endings is reduced in old compared to young and mature rats when it operates as a Ca^{2+} influx or efflux pathway (1107) 175
Castaing, M., see Wehrli, S. (1107) 319
Caüzac, M., see Vasseur, M. (1107) 150
Chapey, M.-F., see Goubern, M. (1107) 159
Chassaing, G., see Duplaa, H. (1107) 12
Chowrimootoo, G., see Debnam, E.S. (1107) 86
Colotto, A., Mariani, P., Ponzi Bossi, M.G., Rustichelli, F., Albertini, G. and Amaral, L.Q.
Lipid–drug interaction: a structural analysis of pindolol effects on model membranes (1107) 165
Convert, O., see Duplaa, H. (1107) 12
Corvera, E., Mouritsen, O.G., Singer, M.A. and Zuckermann, M.J.
The permeability and the effect of acyl-chain length for phospholipid bilayers containing cholesterol: theory and experiment (1107) 261
Cuthbert, A.W., see Sheth, T.R. (1107) 179

Daicho, Y., Okada, S. and Goto, R.
Effects of alkyl glycosides incorporated into liposomes prepared from synthetic amphiphiles on their tissue distribution in Ehrlich solid tumor-bearing mice (1107) 61
Davis, J.H., see Singh, D. (1107) 23
Debnam, E.S. and Chowrimootoo, G.
Streptozotocin diabetes and sugar transport by rat ileal enterocytes: evidence for adaptation caused by an increased luminal nutrient load (1107) 86
De Pont, J.J.H.H.M., see Swarts, H.G.P. (1107) 143
Di Renzo, G., see Canzoniero, L.M.T. (1107) 175

Dubbelman, T.M.A.R., see Penning, L.C. (1107) 255
Duplaa, H., Convert, O., Sautereau, A.-M., Tocanne, J.-F. and Chassaing, G.
Binding of substance P to monolayers and vesicles made of phosphatidylcholine and/or phosphatidylserine (1107) 12

Elledge, B., see Horowitz, A.D. (1107) 44

Frangne, R., see Vasseur, M. (1107) 150
Frantz, M., see Wright, M.V. (1107) 223

George, R. and McElhaney, R.N.
The effect of cholesterol and epicholesterol on the activity and temperature dependence of the purified, phospholipid-reconstituted ($Na^+ + Mg^{2+}$)-ATPase from *Acholeplasma laidlawii* B membranes (1107) 111
Giordano, G., see Pommier, J. (1107) 305
Goto, R., see Daicho, Y. (1107) 61
Goubern, M., Chapey, M.-F., Senault, C., Laury, M.-C., Yazbeck, J., Miroux, B., Ricquier, D. and Portet, R.
Effect of sympathetic de-activation on thermogenic function and membrane lipid composition in mitochondria of brown adipose tissue (1107) 159
Grant, C.W.M., see Singh, D. (1107) 23
Gulik, A., see Lévy, D. (1107) 283

Hashimoto, A., see Okada, Y. (1107) 201
Havelaar, A.C., see Penning, L.C. (1107) 255
Haynes, D.H., see Tao, J. (1107) 213
Hazama, A., see Okada, Y. (1107) 201
Heirwegh, K.P.M., see Vermeir, M. (1107) 93
Henderson, R.M., see Sheth, T.R. (1107) 179
Hladky, S.B., see Sheth, T.R. (1107) 179
Holt, S.E., see Pommier, J. (1107) 305
Horowitz, A.D., Elledge, B., Whitsett, J.A. and Baatz, J.E.
Effects of lung surfactant proteolipid SP-C on the organization of model membrane lipids: a fluorescence study (1107) 44
Hui, S.-W., see Yu, H. (1107) 245

Igarashi, K., see Kakinuma, Y. (1107) 126

Janoff, A.S., see Perkins, W.R. (1107) 271
Johansson, J.S., see Tao, J. (1107) 213
Johnson, R.M. and Tang, K.
Induction of a Ca^{2+}-activated K^+ channel in human erythrocytes by mechanical stress (1107) 314
Jolicoeur, M., see Kan, F.W.K. (1107) 331

Kakinuma, Y., Masuda, N. and Igarashi, K.
Proton potential-dependent polyamine transport by vacuolar membrane vesicles of *Saccharomyces cerevisiae* (1107) 126
Kamaya, H., see Yoshino, A. (1107) 55
Kan, F.W.K., Jolicoeur, M. and Paiement, J.
Freeze-fracture analysis of the effects of intermediates of the phosphatidylinositol cycle on fusion of rough endoplasmic reticulum membranes (1107) 331
Kean, K.T., see Vrbjar, N. (1107) 1

Author Index

Albertini, G., see Colotto, A. (1107) 165
Alvarado, F., see Vasseur, M. (1107) 150
Amaral, L.Q., see Colotto, A. (1107) 165
Amoroso, S., see Canzoniero, L.M.T. (1107) 175
Annunziato, L., see Canzoniero, L.M.T. (1107) 175

Baatz, J.E., see Horowitz, A.D. (1107) 44
Barisas, B.G., see Boullier, J.A. (1107) 193
Ben-Hur, E., see Penning, L.C. (1107) 255
Bluzat, A., see Lévy, D. (1107) 283
Boens, N., see Vermeir, M. (1107) 93
Boni, L.T., see Perkins, W.R. (1107) 271
Borst-Pauwels, G.W.F.H., Van de Mortel, J.B.J. and Theuvenet, A.P.R.
The concentration dependence of the depolarization of yeast by monovalent cations (1107) 207
Boullier, J.A., Peacock, J.S., Roess, D.A. and Barisas, B.G.
Protein and lipid lateral diffusion in normal and Rous sarcoma virus transformed chick embryo fibroblasts (1107) 193
Boxer, D.H., see Pommier, J. (1107) 305
Bridal, T.R. and Busath, D.
Inhibition of gramicidin channel activity by local anesthetics (1107) 31
Busath, D., see Bridal, T.R. (1107) 31

Canzoniero, L.M.T., Rossi, A., Taglialatela, M., Amoroso, S., Annunziato, L. and Di Renzo, G.
The Na^+–Ca^{2+} exchanger activity in cerebrocortical nerve endings is reduced in old compared to young and mature rats when it operates as a Ca^{2+} influx or efflux pathway (1107) 175
Castaing, M., see Wehrli, S. (1107) 319
Caüzac, M., see Vasseur, M. (1107) 150
Chapey, M.-F., see Goubern, M. (1107) 159
Chassaing, G., see Duplaa, H. (1107) 12
Chowrimootoo, G., see Debnam, E.S. (1107) 86
Colotto, A., Mariani, P., Ponzi Bossi, M.G., Rustichelli, F., Albertini, G. and Amaral, L.Q.
Lipid–drug interaction: a structural analysis of pindolol effects on model membranes (1107) 165
Convert, O., see Duplaa, H. (1107) 12
Corvera, E., Mouritsen, O.G., Singer, M.A. and Zuckermann, M.J.
The permeability and the effect of acyl-chain length for phospholipid bilayers containing cholesterol: theory and experiment (1107) 261
Cuthbert, A.W., see Sheth, T.R. (1107) 179

Daicho, Y., Okada, S. and Goto, R.
Effects of alkyl glycosides incorporated into liposomes prepared from synthetic amphiphiles on their tissue distribution in Ehrlich solid tumor-bearing mice (1107) 61
Davis, J.H., see Singh, D. (1107) 23
Debnam, E.S. and Chowrimootoo, G.
Streptozotocin diabetes and sugar transport by rat ileal enterocytes: evidence for adaptation caused by an increased luminal nutrient load (1107) 86
De Pont, J.J.H.H.M., see Swarts, H.G.P. (1107) 143
Di Renzo, G., see Canzoniero, L.M.T. (1107) 175

Dubbelman, T.M.A.R., see Penning, L.C. (1107) 255
Duplaa, H., Convert, O., Sautereau, A.-M., Tocanne, J.-F. and Chassaing, G.
Binding of substance P to monolayers and vesicles made of phosphatidylcholine and/or phosphatidylserine (1107) 12

Elledge, B., see Horowitz, A.D. (1107) 44

Frangne, R., see Vasseur, M. (1107) 150
Frantz, M., see Wright, M.V. (1107) 223

George, R. and McElhaney, R.N.
The effect of cholesterol and epicholesterol on the activity and temperature dependence of the purified, phospholipid-reconstituted ($Na^+ + Mg^{2+}$)-ATPase from *Acholeplasma laidlawii* B membranes (1107) 111
Giordano, G., see Pommier, J. (1107) 305
Goto, R., see Daicho, Y. (1107) 61
Goubern, M., Chapey, M.-F., Senault, C., Laury, M.-C., Yazbeck, J., Miroux, B., Ricquier, D. and Portet, R.
Effect of sympathetic de-activation on thermogenic function and membrane lipid composition in mitochondria of brown adipose tissue (1107) 159
Grant, C.W.M., see Singh, D. (1107) 23
Gulik, A., see Lévy, D. (1107) 283

Hashimoto, A., see Okada, Y. (1107) 201
Havelaar, A.C., see Penning, L.C. (1107) 255
Haynes, D.H., see Tao, J. (1107) 213
Hazama, A., see Okada, Y. (1107) 201
Heirwegh, K.P.M., see Vermeir, M. (1107) 93
Henderson, R.M., see Sheth, T.R. (1107) 179
Hladky, S.B., see Sheth, T.R. (1107) 179
Holt, S.E., see Pommier, J. (1107) 305
Horowitz, A.D., Elledge, B., Whitsett, J.A. and Baatz, J.E.
Effects of lung surfactant proteolipid SP-C on the organization of model membrane lipids: a fluorescence study (1107) 44
Hui, S.-W., see Yu, H. (1107) 245

Igarashi, K., see Kakinuma, Y. (1107) 126

Janoff, A.S., see Perkins, W.R. (1107) 271
Johansson, J.S., see Tao, J. (1107) 213
Johnson, R.M. and Tang, K.
Induction of a Ca^{2+}-activated K^+ channel in human erythrocytes by mechanical stress (1107) 314
Jolicoeur, M., see Kan, F.W.K. (1107) 331

Kakinuma, Y., Masuda, N. and Igarashi, K.
Proton potential-dependent polyamine transport by vacuolar membrane vesicles of *Saccharomyces cerevisiae* (1107) 126
Kamaya, H., see Yoshino, A. (1107) 55
Kan, F.W.K., Jolicoeur, M. and Paiement, J.
Freeze-fracture analysis of the effects of intermediates of the phosphatidylinositol cycle on fusion of rough endoplasmic reticulum membranes (1107) 331
Kean, K.T., see Vrbjar, N. (1107) 1

Keough, K.M.W., see Vrbjar, N. (1107) 1
Kitagawa, S. and Takegaki, M.
Transbilayer incorporation of 1-pyrenebutyltrimethylammonium by blood platelets and its application for analyzing changes in physico-chemical properties of the membrane lipid bilayer induced by platelet activation (1107) 231
Komano, T., see Saeki, T. (1107) 105
Kraus, J.-L., see Wehrli, S. (1107) 319
Kubo, M., see Okada, Y. (1107) 201

Lambert, A.S., see Schwarz, S.M. (1107) 70
Laury, M.-C., see Goubern, M. (1107) 159
Law, R.O.
Efflux of potassium ($^{86}Rb^+$) attenuates the volume-restorative effect of sodium-amino acid cotransport in rat renal inner medullary cells shrunken by exposure to hyperosmotic media (1107) 186
Lawrence, J., see Rodriguez, M. (1107) 131
Lévy, D., Gulik, A., Bluzat, A. and Rigaud, J.-L.
Reconstitution of the sarcoplasmic reticulum Ca^{2+}-ATPase: mechanisms of membrane protein insertion into liposomes during reconstitution procedures involving the use of detergents (1107) 283

Mandrand, M.A., see Pommier, J. (1107) 305
Mann, D.F., see Van Winkle, L.J. (1107) 299
Mariani, P., see Colotto, A. (1107) 165
Maruyama, Y., see Okada, Y. (1107) 201
Masuda, N., see Kakinuma, Y. (1107) 126
McElhaney, R.N., see George, R. (1107) 111
Medow, M.S., see Schwarz, S.M. (1107) 70
Mendelsohn, R., see Vrbjar, N. (1107) 1
Minchey, S.R., see Perkins, W.R. (1107) 271
Miroux, B., see Goubern, M. (1107) 159
Moes, M., see Swarts, H.G.P. (1107) 143
Mohammadkhani, R., see Said, H.M. (1107) 238
Moreau, P., see Rodriguez, M. (1107) 131
Morré, D., see Rodriguez, M. (1107) 131
Morré, D.J., see Rodriguez, M. (1107) 131
Mouritsen, O.G., see Corvera, E. (1107) 261
Muzykantov, V.R., Smirnov, M.D. and Samokhin, G.P.
Avidin-induced lysis of biotinylated erythrocytes by homologous complement via the alternative pathway depends on avidins ability of multipoint binding with biotinylated membrane (1107) 119

Nyström, S. and Wieslander, Å.
Isoprenoid modification of proteins distinct from membrane acyl proteins in the prokaryote *Acholeplasma laidlawii* (1107) 39

Okabayashi, H., see Yoshino, A. (1107) 55
Okada, S., see Daicho, Y. (1107) 61
Okada, Y., Hazama, A., Hashimoto, A., Maruyama, Y. and Kubo, M.
Exocytosis upon osmotic swelling in human epithelial cells (1107) 201

Paiement, J., see Kan, F.W.K. (1107) 331
Pasternack, R.F., see Perkins, W.R. (1107) 271
Patel, M., see Van Winkle, L.J. (1107) 299
Paulik, M., see Rodriguez, M. (1107) 131
Peacock, J.S., see Boullier, J.A. (1107) 193
Penning, L.C., Rasch, M.H., Ben-Hur, E., Dubbelman, T.M.A.R., Havelaar, A.C., Van der Zee, J. and Van Steveninck, J.
A role for the transient increase of cytoplasmic free calcium in cell rescue after photodynamic treatment (1107) 255
Perkins, W.R., Minchey, S.R., Boni, L.T., Swenson, C.E., Popescu, M.C., Pasternack, R.F. and Janoff, A.S.
Amphotericin B–phospholipid interactions responsible for reduced mammalian cell toxicity (1107) 271
Plass, H., Roden, M., Wiener, H. and Turnheim, K.
Vanadium induced Cl^--secretion in rabbit descending colon is mediated by prostaglandins (1107) 139
Pommier, J., Mandrand, M.A., Holt, S.E., Boxer, D.H. and Giordano, G.
A second phenazine methosulphate-linked formate dehydrogenase isoenzyme in *Escherichia coli* (1107) 305
Ponzi Bossi, M.G., see Colotto, A. (1107) 165
Popescu, M.C., see Perkins, W.R. (1107) 271
Portet, R., see Goubern, M. (1107) 159

Ramirez, C., see Wehrli, S. (1107) 319
Rasch, M.H., see Penning, L.C. (1107) 255
Ricquier, D., see Goubern, M. (1107) 159
Rigaud, J.-L., see Lévy, D. (1107) 283
Roden, M., see Plass, H. (1107) 139
Rodriguez, M., Moreau, P., Paulik, M., Lawrence, J., Morré, D.J. and Morré, D.
NADH-activated cell-free transfer between Golgi apparatus and plasma membranes of rat liver (1107) 131
Roess, D.A., see Boullier, J.A. (1107) 193
Rossi, A., see Canzoniero, L.M.T. (1107) 175
Rustichelli, F., see Colotto, A. (1107) 165

Saeki, T., Shimabuku, A.M., Ueda, K. and Komano, T.
Specific drug binding by purified lipid-reconstituted P-glycoprotein: dependence on the lipid composition (1107) 105
Said, H.M. and Mohammadkhani, R.
Involvement of histidine residues and sulfhydryl groups in the function of the biotin transport carrier of rabbit intestinal brush-border membrane (1107) 238
Samokhin, G.P., see Muzykantov, V.R. (1107) 119
Sanderson, P.W. and Williams, W.P.
Low-temperature phase behaviour of the major plant leaf lipid monogalactosyldiacylglycerol (1107) 77
Sautereau, A.-M., see Duplaa, H. (1107) 12
Schuurmans Stekhoven, F.M.A.H., see Swarts, H.G.P. (1107) 143
Schwarz, S.M., Lambert, A.S. and Medow, M.S.
Ontogeny of proximal colon basolateral membrane lipid composition and fluidity in the rabbit (1107) 70
Senak, L., see Vrbjar, N. (1107) 1
Senault, C., see Goubern, M. (1107) 159
Sheth, T.R., Henderson, R.M., Hladky, S.B. and Cuthbert, A.W.
Ion channel formation by duramycin (1107) 179
Shimabuku, A.M., see Saeki, T. (1107) 105
Singer, M.A., see Corvera, E. (1107) 261
Singh, D., Davis, J.H. and Grant, C.W.M.
Behaviour of a glycosphingolipid with unsaturated fatty acid in phosphatidylcholine bilayers (1107) 23
Smirnov, M.D., see Muzykantov, V.R. (1107) 119
Swarts, H.G.P., Moes, M., Schuurmans Stekhoven, F.M.A.H. and De Pont, J.J.H.H.M.
Vanadate-sensitive phosphatidate phosphohydrolase activity in a purified rabbit kidney Na,K-ATPase preparation (1107) 143
Swenson, C.E., see Perkins, W.R. (1107) 271
Szabo, A., see Vrbjar, N. (1107) 1

Taglialatela, M., see Canzoniero, L.M.T. (1107) 175
Takegaki, M., see Kitagawa, S. (1107) 231
Tang, K., see Johnson, R.M. (1107) 314
Tao, J., Johansson, J.S. and Haynes, D.H.
Protein kinase C stimulates dense tubular Ca^{2+} uptake in the intact human platelet by increasing the V_m of the Ca^{2+}-ATPase pump: stimulation by phorbol ester, inhibition by calphostin C (1107) 213

Theuvenet, A.P.R., see Borst-Pauwels, G.W.F.H. (1107) 207
Tocanne, J.-F., see Duplaa, H. (1107) 12
Turnheim, K., see Plass, H. (1107) 139

Ueda, I., see Yoshino, A. (1107) 55
Ueda, K., see Saeki, T. (1107) 105

Van de Mortel, J.B.J., see Borst-Pauwels, G.W.F.H. (1107) 207
Van der Zee, J., see Penning, L.C. (1107) 255
Van Houten, J.L., see Wright, M.V. (1107) 223
Van Steveninck, J., see Penning, L.C. (1107) 255
Van Winkle, L.J., Mann, D.F., Wasserlauf, H.G. and Patel, M.
Mediated Na^+-independent transport of L-glutamate and L-cystine in 1- and 2-cell mouse conceptuses (1107) 299
Vasseur, M., Caüzac, M., Frangne, R. and Alvarado, F.
Trans-potassium effects on the chloride/proton symporter activity of guinea-pig ileal brush-border membrane vesicles (1107) 150
Vermeir, M., Boens, N. and Heirwegh, K.P.M.
Modelling of interaction of basic lipophilic ligands with cytochrome *P*-450 reconstituted in liposomes. Determination of membrane partition coefficients of *S*-(−)-nicotine and *N*,*N*-diethylaniline from spectral binding studies and fluorescence quenching (1107) 93
Vrbjar, N., Kean, K.T., Szabo, A., Senak, L., Mendelsohn, R. and Keough, K.M.W.
Sarcoplasmic reticulum from rabbit and winter flounder: temperature-dependence of protein conformation and lipid motion (1107) 1

Wasserlauf, H.G., see Van Winkle, L.J. (1107) 299
Wehrli, S., Ramirez, C., Kraus, J.-L. and Castaing, M.
Temperature-dependent effects of cholesterol on sodium transport through lipid membranes by an ionizable mobile carrier (1107) 319
Whitsett, J.A., see Horowitz, A.D. (1107) 44
Wiener, H., see Plass, H. (1107) 139
Wieslander, Å., see Nyström, S. (1107) 39
Williams, W.P., see Sanderson, P.W. (1107) 77
Wright, M.V., Frantz, M. and Van Houten, J.L.
Lithium fluxes in *Paramecium* and their relationship to chemoresponse (1107) 223

Yazbeck, J., see Goubern, M. (1107) 159
Yoshida, T., see Yoshino, A. (1107) 55
Yoshino, A., Yoshida, T., Okabayashi, H., Kamaya, H. and Ueda, I.
Lateral conductance parallel to membrane surfaces: effects of anesthetics and electrolytes at pre-transition (1107) 55
Yu, H. and Hui, S.-W.
Merocyanine 540 as a probe to monitor the molecular packing of phosphatidylcholine: a monolayer epifluorescence microscopy and spectroscopy study (1107) 245

Zuckermann, M.J., see Corvera, E. (1107) 261